



Materials/Finishes	Zinc Plated (8250Z)	T-304 Stainless (8250SS)
	T-316 Stainless (8250SX)	
Variants:	N/A	
Service:	Designed to steady a horizontal run of pipe against a perpendicular section of strut.	
Approvals:	N/A	
Ordering:	Specify figure number, finish and pipe size.	
Notes:	N/A	

PIPE SIZE (O.D.)	MAX REC LOAD (lbs)	WGT EACH (LBS)	PIPE SIZE	MAX REC LOAD (lbs)	WGT EACH (LBS)
1/4	400	0.09	3-3/4	1000	0.51
3/8	400	0.09	3-7/8	1000	0.52
1/2	400	0.07	4	1000	0.52
5/8	400	0.09	4-1/8	1000	0.53
3/4	400	0.13	4-1/4	1000	0.54
7/8	400	0.14	4-3/8	1000	0.55
1	600	0.15	4-1/2	1000	0.55
1-1/8	600	0.16	4-5/8	1000	0.57
1-1/4	600	0.18	4-3/4	1000	0.58
1-3/8	600	0.19	4-7/8	1000	0.60
1-1/2	600	0.20	5	1000	0.62
1-5/8	600	0.21	5-1/8	1000	0.64
1-3/4	800	0.22	5-1/4	1000	0.66
1-7/8	800	0.22	5-3/8	1000	0.68
2	800	0.23	5-1/2	1000	0.70
2-1/8	800	0.23	5-5/8	1000	0.72
2-1/4	800	0.25	5-3/4	1000	0.74
2-3/8	800	0.26	5-7/8	1000	0.76
2-1/2	800	0.38	6	1000	0.79
2-5/8	800	0.38	6-1/8	1000	0.83
2-3/4	800	0.39	6-1/4	1000	0.87
2-7/8	800	0.40	6-3/8	1000	0.90
3	800	0.42	6-1/2	1000	0.95
3-1/8	800	0.44	6-5/8	1000	1.02
3-1/4	800	0.46	6-3/4	1000	1.05
3-3/8	800	0.48	6-7/8	1000	1.10
3-1/2	800	0.50	7	1000	1.16
3-5/8	800	0.50	8-3/8	1000	1.25

NO-HUB CAST IRON SOIL PIPE CLAMP SIZES	
NO-HUB CAST IRON NOMINAL PIPE SIZE	USE THE FOLLOWING STRUT CLAMP
3	3-3/8
4	4-3/8
5	5-3/8
6	6-3/8
8	8-3/8
10-12	CALL

PROJECT INFORMATION	APPROVAL STAMP
Project:	Notes:
Address:	
Contractor:	
Engineer:	
Date:	
Approved      Approved as Noted      Not Approved	