



























EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
10J	67	970 970F	B3690	3	-	J-Hanger	
10JGI - Electro-Galvanized (1/2" - 10")							
10JGIFL - Felt Lined (1/2" - 4")							
							
11	260	450	B3100	1	-	Adjustable Clevis Hanger	
11B - Plain Carbon Steel (1/2"-20")							
11G - Electro-Galvanized (1/2"-20")							
11HDG - Hot-Dip Galv (1/2"-14")							
11SS - T-304 Stainless Steel (1/2"- 16")							
11SX - T-316 Stainless Steel (1/2"- 16")							
							
11GI	260	450	B3100	1	-	Adjustable Clevis-Hanger, Electro-Galvanized: Imported	
11GI - Electro-Galvanized (1/2" - 12")							
							
11DIP	590	420	B3102	1CI	-	Adjustable Clevis Hanger for Ductile Iron Pipe	
11DIPHDG - Hot-Dip Galv (4" - 16")							
11DIPSX - T-316 Stainless (4" - 16")							
							
11V	-	450V	-	1V	-	V-Bottom Clevis Hanger	
11VG - Electro-galvanized (Sizes 1)							
							
12V	-	450T	B3106V	1VT	-	V-Support Trough	
12V - Electro-Galvanized (Sizes 1&2x10")							
							
110	65	440	B3104	1LD	-	Adjustable Clevis Hanger: Lightweight	
110B - Plain Carbon Steel (1/2" - 4")							
110PC - Plastic Coated (1/2" - 12")							
							
110CTI	CT-65	442	B3104CT	81	-	Light Weight Clevis Hanger For Copper Tubing (Imported)	
110CTI- Copper Gard (1/2" - 4")							








EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
13	290	35	B3200	-	-	Weldless Eye Nut	
<i>137HDG - Hot-Dip Galv (3/8" - 1-1/4")</i>							
137	137	91ZINC	B3188	110	-	Standard U-Bolt	
<i>137G - Electro-Galvanized (1/2" - 16")</i>							
<i>137HDG - Hot-Dip Galv (1/2" - 10")</i>							
<i>137SS - T-304 Stainless (1/2" - 12")</i>							
<i>137SX - T-316 Stainless (1/2" - 12")</i>							
137DIP	-	-	-	-	-	U-Bolt for DIP Sizes	
<i>137HDGIDIP - Hot-Dip Galv (4"-8")</i>							
<i>137DIPXS - T-316 Stainless (4"-8")</i>							
153	-	905	B3058	-	-	Side Beam Connector	
<i>153B - Plain Malleable Iron (3/8" - 1/2")</i>							
<i>153G - Electro-Galvanized (3/8" - 1/2")</i>							
157	157	25	B3203	-	-	Extension Piece	
<i>157B - Plain Malleable Iron (3/8" - 7/8")</i>							
							
212	212	520 521	B3140	4	-	Standard Steel Pipe Clamp for Heavy Marine and Industrial Use	
<i>212SX - T-316 Stainless (1/2" - 12")</i>							
218	218	630	B3054	-	-	Malleable Iron Center Load Beam Clamp (157 Extension Piece)	
<i>218B - Plain Malleable Iron</i>							
  							
21L	95	250	B351L	64	-	C-Clamp W/ Locknut	
<i>21LB - Plain Carbon Steel (3/8" - 5/8")</i>							
<i>21LG - Electro-Galvanized (3/8" - 1/2")</i>							
<i>21LSS - T-304 Stainless (3/8" - 1/2")</i>							
<i>21LSX - T-316 Stainless (3/8")</i>							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
231	-	825	-	21	-	Two Hole Pipe Strap	
231G - Electro-Galvanized (1/2" - 4")							
231SS - T-304 Stainless (1/2" - 2")							
23L	86	270	B3036L	-	-	Ductile Iron C-Clamp W/ Locknut	
23LB - Plain Ductile Iron (3/8")							
272	181	470	B3110	324	-	Adjustable Roller Hanger	
272HDG - Hot-Dip Galv (3" - 20")							
277	171	490	B3114	322	-	Adjustable Two Rod Roller	
277G - Electro-Galvanized (2" - 20")							
310	69	152	B3170	202	-	Emlok™ Swivel Hanger	
310G - Electro-Galvanized (1/2" - 8")							
310GFL - Felt-lined (1/2" - 2")							
310PC - Plastic Coated (1/2" - 3")							
310SS - T-304 Stainless (1/2" - 4")							
310SX - T-316 Stainless (1/2" - 4")							
310CTI	CT-69	152	B3170CT	202	-	Swivel Ring Hanger for Copper Tubing (Imported)	
310CTI - Copper Gard (1/2" - 4")							
310NF	69	141	B3170NF	200	-	Emlok™ Swivel Hanger for National Fire Protection	
310NF - Electro-Galvanized (2-1/2" - 4" [3/8" nut] 5" - 8" [1/2" nut])							
310NFFL - Felt-lined (2-1/2" - 4")							
41A	128R	940 941	B3199	78	-	Hanger Flange	
41AB - Plain Malleable Iron (3/8")							
41AG - Electro-Galvanized (3/8" - 1/2")							
41ACT - Copper Gard (3/8" - 1/2")							
41ASSI - T-304 Stainless (3/8" - 1/2")							
41ASXI - T-316 Stainless (3/8")							



EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
41H	138R	508R	B3198H	302	-	Split Ring Hanger Hinged	
41HB - Plain Malleable Iron (3/8" - 4")							
41HG - Electro-Galvanized (1/2" - 4")							
41HCT	CT-138R	512H	B3198HCT	301CT	-	Split Ring Hanger Hinged For Copper Tubing	
41HCT - Copper Gard (1/2" - 3")							
428KT	-	-	-	-	-	Adjustable Pipe Saddle Support Kit	
428KTHDG - Hot-Dip Galv (Size 2 - 12)							
429KT	-	-	-	-	-	Adjustable Pipe Saddle Support Kit With U-Bolt	
429KTHDG - Hot-Dip Galv (Size 2 - 12)							
431KTSF	-	-	-	-	-	Adjustable Bolt On Flange Support Kit	
431KTSFHDG - Hot-Dip Galv (Size 4, 6, 8, 10, 12)							
50	261	550 551	B3373	6	-	Riser Clamp	
50B - Plain Carbon Steel (1/2" - 14")							
50G - Electro-Galvanized (1/2" - 12")							
50SS - T-304 Stainless (2" - 6")							
50SX - T-316 Stainless (3/4" - 12")							
50CTI	CT-121	552	B3373CT	82	-	Riser Clamp for Copper Tubing	
50CTI - Copper Gard (1/2" - 4")							
50SA	-	-	-	-	-	Short Arm Riser Clamp for Light Commercial Use	
50SAB - Plain Carbon Steel (2" - 4")							



EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
51	135	100	B655	6	-	Rod Coupling	
<i>51G - Electro-Galvanized (1/4 - 5/8")</i>							
52	-	130	-	FW	-	Round Steel Washer	
<i>52SX - T-316 Stainless (3/8") Bulk</i>							
53	202	920	B3060	50	-	Angle Bracket	
<i>53B - Plain Carbon Steel (3/8" - 1/2")</i>							
<i>53G - Electro-Galvanized (3/8" - 1/2")</i>							
<i>53SS - T-304 Stainless (3/8" - 1/2")</i>							
54	146	20	-	113	-	Continuous Threaded Rod	
<i>54G - Electro - Galvanized (1/2" - 7/8" x 6')</i>							
<i>54SSI - T-304 Stainless (3/8" - 1/2" x 6')</i>							
56	Hex Nut	110	-	113	-	Standard Hex Nut Packaged	
<i>56SX - T-316 Stainless (3/8") Bulk</i>							
61	93 94	360	B3033	68	-	Top Beam Clamp	
<i>61B - Plain Ductile Iron (3/8" - 3/4")</i>							
<i>61G - Electro-Galvanized (3/8"-5/8")</i>							
62	92	350	B3034	-	-	Junior Top Beam Clamp	
<i>62B - Plain Ductile Iron (3/8" - 7/8")</i>							
<i>62G - Electro-Galvanized (3/8" - 7/8")</i>							
<i>62SS - T-304 Stainless (1/4" - 1/2")</i>							
<i>62SX - T-316 Stainless (1/4" - 1/2")</i>							
63	AS-85	-	B444	-	-	Rod Support Clamp	
<i>63G - Electro-Galvanized (1/4" - 3/8")</i>							
<i>63SX - T-316 Stainless (1/4" - 1/2")</i>							







EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
							
66L	66	900	B3083	304 305	-	Welding Beam Attachment (W/O nut or bolt)	
<i>66LB - Plain Carbon Steel (3/8" - 1")</i>							
73	--	47S	--	--	--	Drop-In Anchor	
<i>73G - Electro-Galvanized (3/8" - 1/2")</i>							
							
95	103	-	B3148	7	-	Offset Pipe Clamp	
<i>95SX - T-316 Stainless (2", 3", 4", 6", 8")</i>							
909I	299	38	B3201	332	-	Forged Steel Clevis	
<i>909IHDG - Hot-Dip Galv (#2.5 3/4")</i>							
8000	AS-NS	3001 - 3011	N/WO Series	Nut Series	P3006 - P3010	Strut Nut	
<i>8000Z - Zinc Plated (1/4" - 3/4")</i>							
<i>8000SX - T-316 Stainless (3/8" - 1/2")</i>							
8100	AS-RS	3101 - 3111	N221 - N278	SPRA Series	P1006 - P1024	Spring Strut Nut	
<i>8100Z - Zinc Plated (1/4" - 7/8")</i>							
<i>8100SX - T-304 Stainless (1/4" - 5/8")</i>							
8200	AS 1100 Series	2001 - 2016	B2007PA - B2132PA	RIGD Series	P1109 - P1126	Strut Pipe Clamp Assembled	
<i>8200Z - Zinc Plated (1/2" - 12")</i>							
<i>8200SS - T-304 Stainless (1/2" - 10")</i>							
<i>8200SX - T-316 Stainless (1/2" - 6")</i>							
8250	AS1200AS	2401 - 2461	B2000 Series (for OD)	OD Series	P1117E - P1120E	Strut Pipe Clamp Assembled (O.D. Size)	
<i>8250Z - Zinc Plated (1/4" - 8-3/8")</i>							
<i>8250SS - T-304 Stainless (5/8" - 2-1/2")</i>							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
8300	AS1200CDL Series	2302	B2025PA (DCU)	-	P1117CC	Strut Pipe Clamp Assembled (Copper Tube)	
8300CT - Copper Gard (1/2" - 4")		2314	B2110PA (DCU)				
8350	AS1300AS Series	2101	B2207PA	Univ Series	P1211	Universal Pipe Clamp	
8350G - Electro-Galvanized (1/2" - 2")		2107	B2213PA		P1217		
8500	AS1300AS Series	2501	BVT025	-	P2600	Cushion Clamp (O.D. Size)	
8500Z - Electro-Galvanized (3/8" - 4-1/8")		-	-				
8500SS - T-304 Stainless (3/8" - 2-5/8")		2514	BVT412				
8500SX - T-316 Stainless (1/4" - 3-1/8")		-	-				
8550	AS3792	2600	B1999 Vibra Cushion	-	-	Cushion Pipe Wrap	
8575	-	-	-	-	-	Conduit Clamp With Bolt and Nut	
9001FF	AS619	5000	B200	F14 F18	P1063 (3/8") P1064 (1/2") P2471 (3/4") P2490 (7/8") P1964	1-5/8" Square Strut Washer	
9001FFZ - Zinc Plated (1/4" - 7/8")		-	-				
9001FFSS - T-304 Stainless (1/4" - 3/4")		5004	B202-2				
9001FFSX - T-316 Stainless (1/4" - 3/4")		-	-				
9007FFZ	-	5015	B341	F23	P1067	4-Hole Splice Plate	
9007FFZ - Zinc Plated (1-5/8"x7-1/4")	-	-	-	-	-	-	-
9011FFZ	AS718	502	B140	F36	P1036	Three Hole Corner Plate	
9011FFZ - Zinc Plated (3-1/2" x 3-1/2")	-	-	-	-	-	-	-

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
9014FFZ	AS719	5030	B143	F37	P1380A	Four Hole Corner Plate	
9014FFZ - Zinc Plated (5-3/8" x 3-1/2")							
9016FFZ	-	5035	B133	F25	P1031	4-Hole Tee Plate	
9016FFZ - Zinc Plated (5-3/8" x 3-1/2")							
9017FFZ	F28	5040	B132	F28	P1028	5 Hole Cross Plate	
9017FFZ - Zinc Plated (5-3/8" x 5-3/8")							
9022CA	AS603	5112	B230	L11	P1026	Two Hole Corner Angle (1-7/8" x 2-1/6")	
9022CAZ - Zinc Plated							
9022CASX - T-316 Stainless							
9023CAZ	AS604	5110 (1-5/8" x 2-1/4")	B101	L10	P1068	Two Hole Corner Angle	
9023CAZ - Zinc Plated (1-5/8" x 2-15/16")							
9024CAZ	AS806	5119	B31 (2-1/4 x 2-1/4")	L08	P2626	Two Hole Corner Angle With Guides	
9024CAZ - Zinc Plated (2-1/8" x 2-1/8")							
9026CAZ	AS605 (2-15/16" x 3-1/2")	5120 (2-15/16" x 3-1/2")	B102	L18	P1458	Three Hole Corner Angle	
9026CAZ - Zinc Plated (2-5/16" x 3-1/2")							
9030CA	AS607	5130 (3-1/2" x 4-3/16")	B104	L22	P1325	Four Hole Corner Angle (3-1/2" x 4-1/8")	
9030CAZ - Zinc Plated							
9030CASX - T-316 Stainless							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
9045AFZ	-	5315	-	L45-45	P1546	Two Hole Open Angle	
<i>9045AFZ - Zinc Plated (2-3/8" x 2-3/8")</i>							
9053UF	-	5503	B107	-	P1047	5-Hole "U" Support	
<i>9053UFZ - Zinc Plated (1-5/8" x 1-5/8")</i>							
9086BCZ	AS2651-A	7070	B441-22	BC17	P2785	Strut U-Bolt Beam Clamp	
<i>9086BCZ - Zinc Plated (13/16", 1-5/8" Strut)</i>							
9087BC	BC-17D000EG	7075	B441-22A	BC17(E)	P2786	Strut U-Bolt Beam Clamp	
<i>9087BCZ - Zinc Plated (2-7/16" x 3-1/4")</i>							
7505RT	-	-	-	-	-	Mini Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
<i>7505RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel</i>							
7510RT	-	-	-	-	-	Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
<i>7510RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel</i>							
7520RT7200Z	HBS-24-H-164-PG	SBSB1321	DB20	-	-	Rooftop Support Block 20" with 13/16" X 1-5/8" Strut Channel	
9088PBZ	AS3040	6095	B278	P15	P1887	Post Base for 1-5/8" x 1-5/8" Strut 5" Base (Zinc)	
<i>9088PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)</i>							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
9090PBZ	AS3025FL	6030 (3-1/8" x 8")	B280FL (3-1/8" x 8")	P11F	-	Post Base - Flush Mount (Zinc)	
<i>9090PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)</i>							
9093PBZ	AS3033	6020	B280	P11	P2072A	Post Base - Diagonal 1-5/8" x 1-5/8" Strut (Zinc)	
<i>9090PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)</i>							
9094PB	AS3033SQ	6025	B280SQ	P11SQ	-	Post Base - Square 1-5/8" x 1-5/8" Strut	
<i>9094PBZ - Zinc Plated</i>							
<i>9094PBSS - T-304 Stainless</i>							
<i>9094PBXS - T-316 Stainless</i>							
9095PBZ	AS3064	6050	B281	P13	P2073A	6" Post Base for 1-5/8" x 3-1/4" Strut (Zinc)	
<i>9095PBZ - Zinc Plated (1-5/8" x 3-1/4" Strut)</i>							